

**Lettore codici a barre HONEYWELL
 GRANIT 1991 ULTRA RUGGED, 2D,
 CORDLESS, FLEX RANGE 1991IXR-
 3USB-5-**



Codice	CK196970
EAN	1991IXR-3USB-5-R
Marca	HONEYWELL
Part number	1991IXR-3USB-5-
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	1.01
Volume (cm ³)	5901.5

Following a legacy of successful deployments, the next generation Granit XP scanners expand capabilities and redefine ultra-rugged scanning.

With a best-in-class 10 drop spec, Granit XP is engineered to keep on working after the impact of drops from loading docks, fork trucks, and picking trucks.

The 1 meter (3.3 foot) tumble test indicates long term durability with daily knocks and drops from workstation or waist height. A best-in-class 7,000 tumble specification ensures Granit scanners will be ready to work for the long term.

With FlexRange technology, Granit XR offers an ideal blend of no-sacrifice near field scanning plus the eXpanded Range to read UPCs at 5 (1.5m) and 100 mil rack labels at 33 (10m), addressing many warehouse/DC and manufacturing workflows.

Field feedback showed that the scan window is a high-frequency failure point for scanning devices in the industrial environment. Granit scanners are designed with a small, deeply recessed, scratch- and impact-resistant window to prevent these failures. This is a critical sealing

component, ensuring dust and moisture do not enter the case and degrade scanning performance or cause premature failure; the Granit solution ensures its IP67 sealing remains intact, even under harsh treatment.

Barcodes make data entry faster and more accurate, maximizing productivity in your operations. However, damaged and low quality barcodes can make transactions slow and painful. Bad labels commonly occur in the warehouse/DC and industrial space due to low quality printing or damage during handling. Granit XP is built on Honeywell's next-generation imaging platform, integrating a high resolution sensor and enhanced decode algorithms to quickly and accurately read bar code symbols. Granit XP ensures that otherwise challenging labels do not create a bottleneck in your process.

The Granit XP 1990iXR model offers high-durability, eXtreme Performance scanning for standard and extended range operations. Created for applications where high speed scanning is needed to maximize productivity, and where durability is non-negotiable for low total cost of ownership, the Granit XP 1990iXR scanner offers the optimal solution.

SPECIFICHE	
Compatibilità	1d / 2d
Marca	HONEYWELL
Interfaccia	emulazione tastiera / rs232 / usb
Tecnologia	area imager

HARDWARE	
Posizionamento	Brandeggiabile
Tipo sensore	IMAGER
Schermo LCD	No
Wireless	Si
Tipo Wireless	2.4 GHz (ISM Band) Adaptive Frequency Hopping Bluetooth® v4.2; Class 1: 100 m (330 ft) line of sight
Interfacce supportate	Emulazione Tastiera / RS232 / USB
Distanza minima lettura	3 cm
Distanza massima lettura	700 cm
Mtbf	0 h
IP	IP67
DECODING	
Funzione lettura codici a barre	Si
Tecnologia di lettura	Area Imager
Tipologia di codici letti	1D / 2D

ALIMENTAZIONE	
Power Supply Tensione	5 V
CONDIZIONI AMBIENTALI DI FUNZIONAMENTO	
Temperatura di Stoccaggio Min	-40 °
Temperatura di Stoccaggio Max	70 °
Temperatura Operativa Min	-20 °
Temperatura Operativa Max	50 °
CONFORMITÀ	
Conformità CEE	Conforme
GENERALE	
Auto-ID	Si
Colore	Nero/Arancione
Erogazione Garanzia	PICK AND RETURN
CONTENUTO DELLA CONFEZIONE	
Cavi	Cavo USB e Base di ricarica e comunicazione inclusi
Manuali	Scaricabile dal sito del produttore
Software	/
DIMENSIONI	
Altezza massima	192 mm
Larghezza massima	72 mm
Peso	405 gr
Profondità massima	100 mm