


Switch ALLIED TELESIS AT-FS980M/52PS	
Codice	CK198250
EAN	0767035209074
Marca	ALLIED TELESIS
Part number	AT-FS980M/52PS
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	7.115
Volume (cm ³)	46556
<p>Fast Ethernet Managed Access Switch</p> <p>The FS980M/52PS features 48 x 10/100TX PoE+ ports and 4 x 100/1000X SFP uplink/stacking ports.</p> <p>CentreCOM FS980M switches are cost-effective, fully managed, and can be stacked for increased resiliency and port density at the edge of the network. As part of an Autonomous Management Framework (AMF) network, the FS980M switches utilize automated management and zero-touch recovery to lower running costs. Power over Ethernet delivers the full 30 watts of PoE+ to support video surveillance and wireless access applications.</p>	

SPECIFICHE	
Marca	ALLIED TELESIS
Numero porte LAN	48 n

CARATTERISTICHE TECNICHE	
Power over Ethernet (PoE)	Si
Gestione	Managed (CLI)
Supporto Routing (Layer 3)	Si
Nr. porte PoE	48
Vlan supportate	4000
Industriale	No
Stackable	No
PoE Budget	375 W
Quality Of Service (QOS)	Si
Modalità Stacking	Virtual Stacking
CARATTERISTICHE FISICHE	
Rack-Mountable	Si
Larghezza	440 mm
Nr. unità rack	0
Profondità	345 mm
Altezza	43,2 mm
Peso	5400 gr
ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Alimentazione ridondata	No
Consumo energetico	63 W
CONNETTIVITÀ	
Nr. porte LAN	48 N
Tipo e velocità porte LAN	RJ-45 10/100
Nr. porte Uplink	4
Tipo e velocità porte Uplink	N/A
Porta Console	Si

Nr. porte fruibili contemporaneamente (LAN + Uplink)	52
CONFORMITÀ	
Dichiarazione di Conformità	CE, cULus, TUV, RoHS