


Switch ALLIED TELESIS AT-GS970M/28	
Codice	CK198281
EAN	0767035211329
Marca	ALLIED TELESIS
Part number	AT-GS970M/28
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	3.845
Volume (cm ³)	22896
<p>Switch Layer 3 con 24 porte 10/100/1000T e 4 porte SFP 100/1000X</p> <p>Managed Gigabit Ethernet Switch</p> <p>The Allied Telesis CentreCOM® GS970M/28 Layer 3 managed switch features twenty-four 10/100/1000T Gigabit Ethernet ports and four 100/1000X SFP ports for secure connectivity at the network edge.</p>	

SPECIFICHE

Marca	ALLIED TELESIS
Numero porte LAN	24 n

CARATTERISTICHE TECNICHE	
Power over Ethernet (PoE)	No
Gestione	Managed (CLI)
Supporto Routing (Layer 3)	Si
Nr. porte PoE	0
Vlan supportate	4000
Industriale	No
Stackable	No
PoE Budget	0 W
Quality Of Service (QOS)	Si
Modalità Stacking	No
CARATTERISTICHE FISICHE	
Rack-Mountable	Si
Larghezza	440 mm
Nr. unità rack	0
Profondità	290 mm
Altezza	44 mm
Peso	4700 gr
ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Alimentazione ridondata	No
Consumo energetico	26 W
CONNETTIVITÀ	
Nr. porte LAN	24 N
Tipo e velocità porte LAN	RJ-45 10/100/1000
Nr. porte Uplink	4
Tipo e velocità porte Uplink	N/A
Porta Console	Si
Nr. porte fruibili contemporaneamente (LAN + Uplink)	28

CONFORMITÀ

Dichiarazione di Conformità

CE, FCC Class A, EN55022 Class A, EN61000-3-2,
EN61000-3-3, VCCI Class A, CISPR Class A