

<p><b>telecamera ip interno/esterno no AXIS P3247-LV 01595-001</b></p>	
<p>Codice</p>	<p>CK214488</p>
<p>EAN</p>	<p>7331021065680</p>
<p>Marca</p>	<p>AXIS</p>
<p>Part number</p>	<p>01595-001</p>
<p>Storage unit</p>	<p></p>
<p>Unità di vendita</p>	<p>Cadauno</p>
<p>Confezione</p>	<p>1</p>
<p>Imballaggio</p>	<p>1</p>
<p>Peso (kg)</p>	<p>0.955</p>
<p>Volume (cm<sup>3</sup>)</p>	<p>3780</p>
<p>AXIS P3247-LV Network Camera          Streamlined 5 MP dome for any light          AXIS P3247-LV offers excellent image quality in 5 MP resolution. This IK10-rated camera features Axis Lightfinder 2.0 and Axis Forensic WDR to deliver true colors and great detail in challenging light or near darkness. It includes OptimizedIR for surveillance in complete darkness and motion-adaptive exposure significantly reduces motion blur from approaching or nearby objects. AXIS Object Analytics lets you detect and classify humans and vehicles. And, thanks to two-way audio and I/O connectivity, you can add audio analytics and integrate peripheral equipment. Furthermore, Axis Edge Vault protects your Axis device ID and simplifies authorization of Axis products on your network.</p>	

SPECIFICHE	
Marca	AXIS
Adatto a	interno/esterno
Tecnologia	ip
Tipo	telecamera

CONNESSIONI	
Wireless Lan	No
Tipologia interfaccia di rete	Ethernet 10/100 Base-TX
Numero interfacce rete	1
Numero USB Port	0
Numero interfacce management	1

FEATURES	
Rilevazione Movimento	Si
Numero Antenne	0
Angolo	0
Antenna	0

GENERALE	
Tecnologia	IP
Luogo utilizzo prevalente	Interno/Esterno
Day&Night	Si
Tipologia apparato	Telecamera
Forma	A cupola
Movimento	Si
Uso Notturno	Si
Resistenza all'acqua	Si
Microfono incorporato	No
Colore primario	Bianco

HARDWARE	
Power Supply Type	POE
Alimentazione	11 Volts

Temperatura di lavoro min	0 °C
Temperatura di lavoro max	50 °C
Protocollo Http	Si
Protocollo Https	Si
Protocollo IPv4/v6	Si
Protocollo Qos	Si
capacità memoria RAM	1024
capacità memoria Flash	512
<b>IMMAGINE</b>	
Rapporto focale	1,3 f
Sensore	1/2.7 " CMOS "
Risoluzione orizzontale massima	2592 p
Risoluzione verticale massima	1944 p
Durata otturazione 1/	33500 sec
Velocità di riproduzione	30 fps
Illuminazione minima	0,13 lux
Formato video digitale	H.264 - MJPEG - MPEG-4
Formato foto digitale	H.264 - MJPEG - MPEG-4
<b>DIMENSIONI</b>	
Larghezza	149 mm
Altezza	103 mm
Profondità	149 mm
Peso	720 gr
<b>CONTENUTO CONFEZIONE</b>	
Cavi	No
Manuale italiano	Si
Supporto	No