


<p><b>Switch ALCATEL-LUCENT ENTERPRISE OS2260-24-IT - WebSmart+ Gigabit Ethernet LAN Swit OS2260-24-IT</b></p>	
--	--

Codice	CK249795
EAN	
Marca	ALCATEL-LUCENT ENTERPRISE
Part number	OS2260-24-IT
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	4.71
Volume (cm <sup>3</sup> )	20884.5

**WebSmart+ Gigabit Ethernet LAN Switch Family**

Fast Ethernet chassis with AOS Enterprise software. Provides 24 PoE RJ-45 10/100 BaseT, 2 SFP/RJ45 10/100/1000 BaseT or 100/1000 BaseX combo and two dedicated 2.5G HDMI stacking ports



SPECIFICHE	
Marca	ALCATEL-LUCENT ENTERPRISE
Numero porte LAN	24 n

ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Consumo energetico	13 W
Alimentazione ridondata	No

CARATTERISTICHE TECNICHE	
Power over Ethernet (PoE)	Si
Nr. porte PoE	0
Quality Of Service (QOS)	Si
Supporto Routing (Layer 3)	Si
Vlan supportate	1
PoE Budget	195 W
Gestione	Layer 2+
Industriale	No
Stackable	Si

CARATTERISTICHE FISICHE	
Altezza	50 mm
Larghezza	440 mm
Peso	3390 gr
Profondità	300 mm
Rack-Mountable	Si
Altre caratteristiche fisiche	OmniSwitch 2260 10 port mounting options <b>OS2260-RM-19-L</b> Simple L-bracket for mounting a single OS2260-10/-P10 switch in a 19 rack

	<b>OS2260-WALL-MNT</b> Wall mounting kit for OS2260 products, contains universal mounting brackets and screws for wall mounting OS2260 switch
Nr. unità rack	1
<b>CONNETTIVITÀ</b>	
Porta Console	No
Nr. porte LAN	24 N
Nr. porte Uplink	1
Tipo e velocità porte LAN	RJ-45 10/100/1000
Tipo e velocità porte Uplink	RJ45 10/100/1000, SFP 1GbE