

Switch ALCATEL-LUCENT ENTERPRISE OS2260-24-IT - WebSmart+ Gigabit Ethernet LAN Swit
OS2260-24-IT



Codice	CK249795
EAN	
Marca	ALCATEL-LUCENT ENTERPRISE
Part number	OS2260-24-IT
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	4.71
Volume (cm ³)	20884.5

WebSmart+ Gigabit Ethernet LAN Switch Family

Fast Ethernet chassis with AOS Enterprise software. Provides 24 PoE RJ-45 10/100 BaseT, 2 SFP/RJ45 10/100/1000 BaseT or 100/1000 BaseX combo and two dedicated 2.5G HDMI stacking ports



SPECIFICHE	
Marca	ALCATEL-LUCENT ENTERPRISE
Numero porte LAN	24 n

CARATTERISTICHE TECNICHE	
Power over Ethernet (PoE)	Si
Gestione	Layer 2+
Supporto Routing (Layer 3)	Si
Nr. porte PoE	0
Vlan supportate	1
Industriale	No
Stackable	Si
PoE Budget	195 W
Quality Of Service (QOS)	Si

CARATTERISTICHE FISICHE	
Rack-Mountable	Si
Larghezza	440 mm
Nr. unità rack	1
Profondità	300 mm
Altezza	50 mm
Peso	3390 gr
Altre caratteristiche fisiche	<p>OmniSwitch 2260 10 port mounting options</p> <p>OS2260-RM-19-L Simple L-bracket for mounting a single OS2260-10/-P10 switch in a 19 rack</p> <p>OS2260-WALL-MNT Wall mounting kit for OS2260 products, contains universal mounting brackets and screws for wall mounting OS2260 switch</p>

ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Alimentazione ridondata	No
Consumo energetico	13 W
CONNETTIVITÀ	
Nr. porte LAN	24 N
Tipo e velocità porte LAN	RJ-45 10/100/1000
Nr. porte Uplink	1
Tipo e velocità porte Uplink	RJ45 10/100/1000, SFP 1GbE
Porta Console	No