



Codice	CK282455
EAN	4897098683309
Marca	TP-LINK
Part number	ER8411
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	3.91
Volume (cm ³)	18020

Integrated into Omada SDN: Zero-Touch Provisioning (ZTP)*3, Centralized Cloud Management, and Intelligent Monitoring.

Centralized Management: Cloud access and Omada app for ultra convenience and easy management.

Two 10GE SFP+ Ports: 1x WAN and 1x WAN/LAN 10GE SFP+ ports provide high-bandwidth aggregation connectivity.

Up to 10 WAN Ports: Fiber and RJ45 WAN ports with load balance raise the utilization rate of multi-line broadband.

Highly Secure VPN: Enterprise-standard SSL/ IPSec / PPTP / L2TP VPN & OpenVPN / L2TP

over IPSec VPN are ideal for use across multiple branches and for WFH.

Abundant Security Features: Powerful Firewall, DoS defense, IP/MAC/URL filtering, and IP-MAC Binding, and One-Click ALG Activation provide world-class security.

SPECIFICHE	
Marca	TP-LINK
Connettività	gigabit ethernet
Numero porte LAN	4

ALIMENTAZIONE	
Power Supply Corrente Max	0,85 A
Power Supply Tensione	100/240 V
Power Supply	DC
Alimentazione ridondata	Si

CONNETTIVITÀ	
Conformità LAN	2× 10GE SFP+ Ports (1 WAN, 1 WAN/LAN) 1× 1GE SFP WAN/LAN Ports 8× 1GE RJ45 WAN/LAN Ports 1× RJ45 Console Ports 2× USB Ports (Connecting 4G/3G Modem as WAN Backup)
Conformità WAN	2× 10GE SFP+ Ports (1 WAN, 1 WAN/LAN) 1× 1GE SFP WAN/LAN Ports 8× 1GE RJ45 WAN/LAN Ports 1× RJ45 Console Ports 2× USB Ports (Connecting 4G/3G Modem as WAN Backup)
Porta Console	No
Slot di espansione	No
Nr. slot di espansione	0
Tipoogia porte LAN	RJ-45
Nr. porte LAN	4
Velocità LAN	10/100/1000 Mbit/s

Nr. porte per fibra ottica (SFP, SFP+, Gbic, ...)	0
WAN secondaria	No
Tipoogia porta WAN	RJ-45
Connessione WAN	Gigabit Ethernet
PROTOCOLLI	
Supporto IP	IPv6
WIRELESS	
Estensioni Wireless	No
Protocolli WiFi supportati	N/A
SICUREZZA	
Cifatura VPN	PPTP, L2TP
Firewall Integrato	Si
Supporto VPN	Si
VOIP	
Supporto Voce	No