

Router 4g/lte 0 ZYXEL Zyxel Run Rate LTE7480-M804-EU	
Codice	CK282694
EAN	4718937610846
Marca	ZYXEL
Part number	5742735
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	3.4
Volume (cm ³)	13090
Il router esterno Zyxel LTE7480-M804 4G LTE-A supporta la modalità di routing con funzioni sia bridge che router, antenna ad alto guadagno per migliori prestazioni del segnale e il robusto hardware esterno IP67 progettato per ambienti difficili: tutte le caratteristiche necessarie per beneficiare del "secondo" design WAN critico". Indipendentemente dal fatto che si disponga o meno di un router, l'LTE7480-M804 può essere facilmente implementato e integrato nel ambiente esistente.	

SPECIFICHE	
Marca	ZYXEL
Connettività	4g/lte
Numero porte LAN	0

ALIMENTAZIONE	
Power Supply	AC/DC
Alimentazione ridondata	No
CONNETTIVITÀ	
Porta Console	No
Slot di espansione	No
Nr. slot di espansione	0
Tipoogia porte LAN	No
Nr. porte LAN	0
Velocità LAN	nessuna porta lan Mbps
Nr. porte per fibra ottica (SFP, SFP+, Gbic, ...)	0
WAN secondaria	Si
Tipoogia porta WAN	4G LTE
Connessione WAN	4G/LTE
PROTOCOLLI	
Quality of Service (QOS)	Si
Caratteristiche Qos	LTE interface • Standard-compliant: 3GPP UE Category 12 • Supports LTE bands: 1/3/5/7/8/20/28/38/40/41 • Supports DL TM1/2/3/4/7/8/9 • LTE Antennas: 4 embedded directional antennas of up to 8 dBi/element (4x4 MIMO) • Supports DL 2CC, 4x4 MIMO, 4 spatial streams • Supports DL modulation QPSK, 16-QAM, 64-QAM and 256-QAM • Supports UL modulation QPSK, 16-QAM and 64-QAM • Supports DL speeds of up to 600 Mbps • Supports UL speeds of up to 150 Mbps WiFi interface • Wireless standards: 802.11 b/g/n, 2.4 GHz, 300 Mbps • Wireless omni antennas: WiFi 2.4 GHz: 2x2 internal antennas up to 3 dBi

	Hardware interface • One Gigabit RJ-45 PoE LAN port • One LED indicator for: ◦ Power status ◦ Internet status ◦ LTE signal strength ◦ WiFi status ◦ LAN status • One WiFi on/off button • One 3FF mini SIM card socket • One reset to default button Power specifications • Standard 802.3af/at PoE
Protocolli di routing supportati	IP networking • Supports IPv4/IPv6 dual stack (NDP IPv6) • DHCP server • Supports ICMP • Virtual Private Network (VPN) pass-through • Roaming management • Supports NAT/NAPT • Supports NAT DMZ • Supports port forwarding/triggering • Supports ALG Routing • Supports router mode • Supports bridge (IP pass-through) mode • Supports dynamic DNS for first APN • Supports remote management under bridge mode

Supporto IP	IPv4/IPv6
WIRELESS	
Antenna inclusa	Si
Estensioni Wireless	Si
Banda di frequenza	2,4 Ghz
Protocolli WiFi supportati	802.11 b/g/n
SICUREZZA	
Cifratura VPN	N/A
Firewall Integrato	Si
Supporto VPN	Si
VOIP	
Supporto Voce	No