


<p>Switch D-LINK DGS-1210-52MP/E</p>	
<p>Codice</p>	<p>CK293092</p>
<p>EAN</p>	<p>0790069467806</p>
<p>Marca</p>	<p>D-LINK</p>
<p>Part number</p>	<p>DGS-1210-52MP/E</p>
<p>Storage unit</p>	
<p>Unità di vendita</p>	<p>Cadauno</p>
<p>Confezione</p>	<p>1</p>
<p>Imballaggio</p>	<p>1</p>
<p>Peso (kg)</p>	<p>8.456</p>
<p>Volume (cm³)</p>	<p>45468.375</p>
<p>DGS-1210-52MP</p> <p>Performance without compromise</p> <p>The DGS-1210-10/10P/20/28 features a fanless design that allows for quieter operation and helps to extend the device s lifetime. While the DGS-1210-28P/52/52P feature a smart fan design that powers on after the switch reaches a certain temperature, saving energy and cutting costs without sacrificing performance.</p> <p>Fibre Uplinks</p> <p>The Fibre Uplinks integrate advanced management as well as security functions that provide performance and scalability making it suitable for business use.</p>	

PoE

The DGS-1210 Series includes a range of high power budget PoE-enabled switches for businesses looking to power VoIP phones, wireless access points or network cameras.

Energy Saving

Incorporating D-Link Green technology, the DGS-1210 Series switches are capable of power-saving without sacrificing operational performance or functionality. Taking the approach to green IT one step further this series incorporates a special chipset with advanced silicon technology for efficient use of energy.

SPECIFICHE

Marca	D-LINK
Numero porte LAN	52 n

CARATTERISTICHE TECNICHE

Power over Ethernet (PoE)	Si
Gestione	Smart Managed (WEB)
Supporto Routing (Layer 3)	No
Nr. porte PoE	48
Vlan supportate	4096
Industriale	No
Stackable	No
PoE Budget	370
Quality Of Service (QOS)	Si
Modalità Stacking	No
Dimensioni tabella MAC	8000

CARATTERISTICHE FISICHE

Rack-Mountable	Si
----------------	----

Larghezza	440 mm
Nr. unità rack	0
Profondità	430 mm
Altezza	44 mm
Peso	4100 gr
ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Alimentazione ridondata	No
Consumo energetico	483,1 W
CONNETTIVITÀ	
Nr. porte LAN	52 N
Tipo e velocità porte LAN	RJ-45 10/100/1000
Nr. porte Uplink	4
Tipo e velocità porte Uplink	N/A
Porta Console	No
Nr. porte fruibili contemporaneamente (LAN + Uplink)	52
CONFEZIONE	
Kit e accessori Vari	Kit di montaggio Rack incluso