


<p>nas senza hard disk integrato QNAP TVS-H874X-I9-64</p>	
<p>Codice</p>	<p>CK295704</p>
<p>EAN</p>	<p>4711103083208</p>
<p>Marca</p>	<p>QNAP</p>
<p>Part number</p>	<p>TVS-H874X-I9-64</p>
<p>Storage unit</p>	
<p>Unità di vendita</p>	<p>Cadauno</p>
<p>Confezione</p>	<p>1</p>
<p>Imballaggio</p>	<p>1</p>
<p>Peso (kg)</p>	<p>9.35</p>
<p>Volume (cm³)</p>	<p>58314.536</p>
<p>With an Intel® Core i9 Processor to support the ZFS-based QuTS hero operating system, the TVS-h874 SMB NAS ensures data integrity and supports block-level inline data deduplication and compression, near-limitless snapshots, real-time SnapSync, and SSD optimization. Whether for mission-critical file servers, virtualization servers, collaborative video editing, or efficient data backup and recovery applications, the TVS-h874X delivers an ideal NAS solution. The high-performance TVS-h874X provides PCIe Gen 4 (up to twice the transmission speed of Gen 3) expandability, M.2 NVMe SSD caching, and 2.5GbE connectivity for high-speed virtualization network environments.</p>	

SPECIFICHE

Tipo	nas senza hard disk integrato
Marca	QNAP

CARATTERISTICHE TECNICHE	
Bus per Hard Disk	SATA
Posizionamento	Office
Supporto RAID	Si
Supporto IP	No specifica
Tipo File Systems	EXT4 (internal) , EXT4, EXT3, FAT, NTFS, HFS+ (External)
Memoria Flash	5000 MB
Memoria DDRAM	64000 MB
CONNETTIVITÀ	
Velocità LAN	100/1000/2500 MB
Numero porte USB	5
Numero porte LAN	3
Connettori porte LAN	RJ45
Conformità LAN	2 lan (2.5G/1G/100M/10M)
Porta Console	No
ALIMENTAZIONE	
Alimentatore ridondato	No
Power Supply	N/A
Power Supply Tensione	100/240 V
Power Supply Frequenza	N/A Hz
Power Supply Potenza Assorbita	45,6 W
CARATTERISTICHE FISICHE	
Formato Chassis	Tower
Colore Chassis	Nero
Led	HDD 1-8, Status, LAN, USB port, M.2 port
Altezza massima	188,2 mm

Larghezza massima	264,3 mm
Profondità massima	279,6 mm
Peso	8070 gr
PROTOCOLLI	
Iscsi	Si
AFP	Si
Cifs	Si
SMB	Si
NFS	Si
Http	Si
Https	Si
FTP	Si
Ftps	Si
Rsync	Si
STORAGE	
Numero Bay Totali	8
Capacità Totale Dischi Inclusi	0 GB
Numero Dischi Inclusi	0
Unità di memoria	SATA
Supporto Enclosures	No
Dimensione degli slot dei dischi	2.5"/3.5"
LIVELLI RAID	
RAID 1 (Mirroring)	Si
Raid 5	Si
Raid 6	Si
Jbod	Si
RAID 0 (Striping)	Si
ESTENSIONI WIRELESS	
Estensioni wireless	No
Wireless Security	No
CONFORMITÀ	
Dichiarazione di Conformità	CE
CONFEZIONE	

Cavi Inclusi	10GBASE-T Ethernet cable x 1 Power Cord x 1
Software	.
Manuali	Quick Installation Guide (QIG)
Kit e Accessori Vari	Flat head screw (for 2.5" HDD) Flat head screw (for 3.5" HDD) M.2 SSD Heatsink x 2 Drive tray keys x 2