


<p>Switch ALCATEL-LUCENT ENTERPRISE OS2360-U24X fixed 1RU chassis 24x100/1000Base-FX S OS2360-U24X-IT</p>	
Codice	CK298371
EAN	
Marca	ALCATEL-LUCENT ENTERPRISE
Part number	OS2360-U24X-IT
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	4.91
Volume (cm ³)	20475
<p>OS2360-U24X-IT</p> <p>OS2360-U24X fixed 1RU chassis 24x100/1000Base-FX SFP, 2xSFP (1G) uplink ports, 2x1G/10G SFP+ uplink ports, 2x1G uplink or 10G VFL stacking ports. Includes Italy power cord, guides and mounting brackets.</p>	



SPECIFICHE	
Marca	ALCATEL-LUCENT ENTERPRISE
Numero porte LAN	24 n

CARATTERISTICHE TECNICHE	
Power over Ethernet (PoE)	Si
Gestione	Layer 2+
Supporto Routing (Layer 3)	Si
Nr. porte PoE	24
Vlan supportate	1
Industriale	No
Stackable	Si
PoE Budget	740 W
Quality Of Service (QOS)	Si
Altre caratteristiche tecniche	Fixed GigE 1RU chassis, WebSmart+, 24 RJ-45 PoE 10/100/1G BaseT, 2 SFP (1G) uplink ports, 2 SFP(+) as 1G uplinks or 10G stacking ports. Internal AC supply (195W PoE budget), Italy power cord.

CARATTERISTICHE FISICHE	
Rack-Mountable	Si
Larghezza	440 mm
Nr. unità rack	1
Profondità	300 mm
Altezza	50 mm
Peso	3390 gr

ALIMENTAZIONE	
Power Supply	AC
Alimentatore incluso	Si
Alimentazione ridondata	No
Consumo energetico	13 W
CONNETTIVITÀ	
Nr. porte LAN	24 N
Tipo e velocità porte LAN	RJ-45 10/100/1000
Nr. porte Uplink	1
Tipo e velocità porte Uplink	RJ45 10/100/1000, SFP 1GbE
Porta Console	No
SOLUZIONI	
UCC	Si