



Codice	CK309209
EAN	4719331849375
Marca	GIGABYTE
Part number	9MB65ELX-00-12
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	2.09
Volume (cm ³)	7344

A NEW ERA IS COMING DAYBREAK HOUR B650 AORUS ELITE AX

UNPARALLELED PERFORMANCE

Twin Digital VRM Design-PCIe 5.0 Design-EXPO & XMP Support-OC GUIDE
 With the fast-moving technology changes, GIGABYTE always follows the latest trends and provides customers with advanced features and latest technologies. GIGABYTE motherboards are equipped with upgraded power solution, latest storage standards and outstanding connectivity to enable optimized performance for gaming.

OUTSTANDING THERMAL DESIGN

GIGABYTE Motherboards' unparalleled performance is guaranteed by innovative and optimized thermal design to ensure the best CPU, Chipset, SSD stability and low temperatures under full load application and gaming performance.

CONNECTIVITY

802.11ax Wi-Fi 6E-2.5GbE LAN-Front USB-C® 20Gb/s-Rear USB-C® 10Gb/s-Hi-Fi Audio
GIGABYTE Motherboards enable the ultimate connection experience with blazing data-transfer speeds through the next generation network, storage, and WIFI connectivity.

PERSONALIZATION

UEFI BIOS-GIGABYTE Control Center-Multi-Key-
GIGABYTE motherboards bundle several useful and intuitive software to help users to control every aspect of motherboard and provide customizable lighting effect with outstanding aesthetics to fit your unique personality.

ULTRA DURABLE

DIY Friendly-Q-Flash Plus
GIGABYTE Ultra Durable design provides product durability and high-quality manufacturing process. GIGABYTE motherboards use the best components and reinforce every slots to make each of them solid and durable.

Key Feature

AMD Socket AM5:Supports AMD Ryzen 7000 Series Processors
Unparalleled Performance:Twin 14*+2+1 Phases Digital VRM Solution
Dual Channel DDR5:4*SMD DIMMs with AMD EXPO & Intel® XMP Memory Module Support
Next Generation Storage:1*PCIe 5.0 x4 and 2*PCIe 4.0 x4 M.2 Connectors
Fully Covered Heatpipe & M.2 Thermal Guard:To Ensure VRM Power Stability & 25110 PCIe 5.0 M.2 SSD Performance
EZ-Latch:PCIe x16 Slot & M.2 Connectors with Quick Release & Screwless Design
Fast Networks:2.5GbE LAN & Wi-Fi 6E 802.11ax
Extended Connectivity:DP, HDMI, Rear USB-C® 10Gb/s, Front USB-C® 20Gb/s
Smart Fan 6:Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
Q-Flash Plus:Update BIOS Without Installing the CPU, Memory and Graphics Card

* 7+7 phases parallel power design

SPECIFICHE

Tipo	ddr5
Dimensioni	atx
Marca	GIGABYTE

Processore Socket	socket am5
Connettore video	1 x hdmi,1 x displayport

SPECIFICHE TECNICHE	
Connettore Video	1 x HDMI,1 x DisplayPort
Alimentazione	24-pin ATX, 1 x 8-pin ATX, 1 x 4-pin ATX V
CANALI/CONNETTORI	
USB 2.0 - interni	4
USB 2.0 - retro	4
USB 3.0 - interni	0
USB 3.0 - retro	0
USB 3.1 - interni	0
USB 3.1 - retro	0
USB 3.2 Gen 1 - interni	3
USB 3.2 Gen 2 interni	0
USB 3.2 Gen 1 - retro	0
USB 3.2 Gen 2 retro	6
SATA revision 2.0 (SATA 3 Gbit/s)	0
SATA revision 3.0 (SATA 6 Gbit/s)	4
PCI	0
PCI-Express 16x	3
PCI-Express 1x	0
Audio	3
Ps/2	0
PROCESSORE	
Socket	Socket AM5
Famiglia processore	AMD
CPU compatibili	AMD Socket AM5, support for: AMD Ryzen 7000 Series Processors
CONTROLLER	
Raid	0/1/10
LAN	1 x Realtek 2.5G LAN
VIDEO	

GPU integrata	No
Modello scheda video	Non presente
AUDIO INTEGRATO	
Modello scheda audio	Realtek ALC 897
Numero Canali	7,1
MEMORIA	
Tipo Moduli	DDR5
Espansione max	192 GB
Frequenza max	5600 MHz
Numero Slot	5
Dual Channel	Si
GENERALE	
Dotazione Hardware	.
DIMENSIONI	
Form factor	ATX