

ClickUfficio srl Via di San Saba, 12 00153 Roma Telephone: 800.206.999

E-mail: info@clickufficio.it

Lettore codici a barre DATALOGIC MAGELLAN 3450VSi 2D, COUNTER/WALL MOUNT, CON CAVO M3450-010210-07



Codice	CK331184
EAN	
Marca	DATALOGIC
Part number	M3450-010210-07
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	1.56
Volume (cm³)	5565

Magellan 3450VSi, Kit, USB Keyboard Scanner, 1D/2D Model, Counter/Wall Mount, Power Brick/Cord (EU), Type A 4.5 m/15 ft Cable

ON-COUNTER HIGH PERFORMANCE BAR CODE READER

The Magellan 3400VSi series of scanners continue the Datalogic tradition of high performance imaging for the high-volume point-of-sale. By

duplicating the speed and large field-ofview of laser scanners and expanding

the capabilities of imaging, the

3400VSi scanners provide outstanding

performance on hard-to-read bar codes

and seamless reading of a wide variety

of bar codes. This Magellan scanner

enables both high speed sweep and presentation scanning techniques, ensuring maximum productivity and ergonomic ease, even with truncated (shortened), out-of-spec or poorly printed codes.

ENHANCING THE CUSTOMER EXPERIENCE

The optional Magellan Customer Service Scanner (CSS) enables retailers to easily engage their customers in mobile commerce programs, allowing them to scan bar codes from mobile phone screens or paper coupons while the cashier continues to scan regular items in parallel, resulting in a significant reduction in total transaction time.

ENTERPRISE FEATURES

Remote Management is supported for OPOS, JavaPOS, Toshiba Remote Management with IBM Systems Director® and Wavelink® Avalanche®. Additional capabilities are available with the Value Added Features included in every Magellan scanner.

SPECIFICHE	
Marca	DATALOGIC

GENERALE		
Posizionamento	Presentation	
Colore	Grigio	
Schermo LCD	No	
DECODING		
Tecnologia di lettura	Imager	
Tipologia di codici letti	1D codici lineari, 2D, GS1 DataBar	
CONNETTIVITÀ		
Wireless	No	

Interfacce supportate	USB	
HARDWARE		
RFID	No	
Healthcare	No	
CONDIZIONI AMBIENTALI DI FUNZIONAMENTO		
IP	IP52	
DIMENSIONI		
Altezza massima	170 mm	
Larghezza massima	260 mm	
Profondità massima	120 mm	
Peso	904 gr	