



Codice	CK332982
EAN	0023942321736
Marca	VERBATIM
Part number	32173
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	0.52
Volume (cm ³)	17793.456

Potenzia il tuo spazio di lavoro con Verbatim CDS-15S, un docking station dinamica con USB-C 3.2 Gen2 e due porte USB-A 3.2 Gen2 per un rapido trasferimento dei dati. Gli slot USB-A 480 Mb/s, RJ45 e SD/MicroSD garantire una connettività versatile.

Eleva le tue capacità di archiviazione con lo slot SSD M.2, Sbloccare l'accesso rapido ai file essenziali e semplificare Backup automatico. Sperimenta la brillantezza visiva con doppia connessione HDMI e singola DP 8K, facilitando Configurazioni immersive a triplo display. Questa docking station integra perfettamente le alte prestazioni

componenti per semplificare il flusso di lavoro,
Catering per i professionisti che gestiscono attività ad alta intensità di dati.

Product dimensions LxWxD 168 x 68,5 x 34 mm

Product weight 345

Material Aluminum+ABS

Colour Black/Grey

Connections

Host Port USB-C Host to connect to your device.

Power IN USB-C PD: supports up to 80W charging, input max. 100W to connect your power supply.

USB Ports 1 x USB-A 2.0: up to 480Mb/s - Design for the connection of 2.4 GHz wireless devices, such as wireless keyboards/mouse adapters etc.

2 x USB-A 3.2 Gen1: up to 5Gb/s backwards compatible with USB 2.0.

1 x USB-A 3.2 Gen2: up to 10Gb/s backwards compatible with USB 3.2 Gen1 and USB 2.0.

1 x USB-C 3.2 Gen2: up to 10Gb/s

Power: 5V 0.9A

Video* 2 x HDMI: 8K@30Hz, 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit

Supports 1080p/720p - Bandwidth: 12G

1 x DP 1.4: 8K@30Hz, 4K/60Hz/10bit, 1080p/60Hz/48bit, 720p/60Hz/48bit.

Supports 1080p/720p - Bandwidth: 8G

Audio 1 x Audio jack 3.5mm: in/out /8 channel sampling rate 192khz/16bit

Memory Card 1 x SD 4.0: Read speed: Up to 250MB/s, Write speed: Up to 250MB/s

1 x Micro SD 3.0 Read speed: Up to 104MB/s, Write speed: Up to 80MB/s

Ethernet 1 x RJ45, up to 1Gb/s

SSD Slot M.2 NVMe PCIe M Key/B&M Key (10Gb/s)

M.2 SATA B&M Key (5Gb/s)

Other Features

Supported OS Windows 10/11, MacOS 10.2 or higher

Status LED Yes

Power Switch Yes

Safety Lock Kensington Security Lock Slot

Storage and Operating Conditions

Operating Temperature 0°C to 40°C (32°F to 104°F)

Operating Humidity 20%-90%RH

Storage Temperature -20°C to 85°C (-4°F to 185°F)

Storage Humidity 5%-95%RH

Pack Contents: Verbatim USB-C® Pro Docking Station
1m USB-C to USB-C cable
Quick Start Guide

SPECIFICHE	
Marca	VERBATIM

SPECIFICHE	
Tipologia specifica	Docking station
Funzione	Espandere le porte di un notebook
Materiale	Alluminio
Colore primario	grigio
DIMENSIONI	
Altezza	34 mm
Larghezza	68 mm
Profondità	168 mm
Peso	340 gr