



**Google meet series one gen2 - small**

Codice	CK341087
EAN	0196118441740
Marca	LENOVO
Part number	20YW0006IX-N
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	12.2
Volume (cm <sup>3</sup> )	51521.4

**20YW0006IX - Google Meet Series one Room Kits by Lenovo Gen 2 SMALL**

- Processor Intel Core i7-10510U (4C / 8T, 1.8 / 4.9GHz, 8MB)
- Graphics Integrated Intel UHD Graphics
- Chipset Intel SoC Platform
- Memory 2x 4GB SO-DIMM DDR4-3200
- Storage 128GB SSD M.2 2280 SATA6Gb/s
- Display 10.1" Touch Controller, Charcoal
- Touchscreen 2-point Multi-touch
- Remote Control None
- Camera Smart Camera XL, Black
- Microphone 2x Mic Pod, Charcoal
- Speakers 1x Smart Audio Bar, Charcoal + 1x Add-on Audio Bar, Charcoal
- Ethernet Integrated 100/1000M
- WLAN + Bluetooth Intel AX201, 11ax 2x2 + BT5.0
- Case Color Charcoal

- Power Supply 240W Adapter
- Operating System ChromeOS
- Base Warranty 3-year, Premier Support
- Included Upgrade 3Y Premier Support Courier/CCI Upgrade from 3Y Courier/CCI (5WS0T24669)
- EAN / UPC / JAN 0196118440873
- End of Support 2028-04-07

## SPECIFICHE

Marca	LENOVO
Tipo	videoconferenza

## GENERALE

Tipo di sistema	videoconferenza
Audioconferenza integrata	Si
Picture in Picture	Si
La confezione contiene	<p>1x Compute System  1 x Smart Camera  1 x Smart Audio Bar</p> <p>1 x Remote Controller</p>
Altre Caratteristiche	<p>Remote Keypad Battery and Dock 2.4 RF remote 10 function keys on front (Navi keys, Microphone on/off, Menu, End, Volume up/ down keys), QWERTY keyboard on rear (38 keys) Embedded rechargeable lithium ion battery with USB-powered charging dock</p>

## VIDEO

Altre Caratteristiche Video	<p><b>Smart Camera</b></p> <ul style="list-style-type: none"> <li>• Image 12 MP 1/2.3" CMOS sensor, up to 1080p@30fps video capture, f/2.8 aperture</li> </ul>
-----------------------------	--

	<ul style="list-style-type: none"> <li>• Optics Ultra-wide angle glass optics, 120 horizontal field of view</li> <li>• Microphone Omnidirectional microphone</li> <li>• Ports 1x RJ-45 Ethernet (PoE, connect to Compute System)</li> <li>• Mounting Wall mount kit, TV mount kit, andmagnetic dock</li> <li>• Dimensions (LxWxH) 84 x 107 x 42 mm</li> </ul>
<b>AUDIO</b>	
Cancellazione Eco	Si
Microfono Integrato	Si
Altoparlanti Integrati	Si
<b>CAMERA</b>	
Messa a Fuoco	Automatica
Altre Caratteristiche Camera	<p><b>Smart Camera</b></p> <p>Image 12 MP 1/2.3" CMOS sensor, up to 1080p@30fps video capture, f/2.8 aperture</p> <p>Optics Ultra-wide angle glass optics, 120 horizontal field of view</p> <p>MicrophoneOmnidirectional microphone</p> <p>Ports 1x RJ-45 Ethernet (PoE, connect to Compute System)</p> <p>Mounting Wall mount kit, TV mount kit, andmagnetic dock</p> <p>Dimensions(LxWxH) 84 x 107 x 42 mm</p>
<b>INTERFACCE</b>	
Altre Interfacce	<p><b>Compute System</b></p> <p>Front Ports*: None</p> <p>Rear Ports*: 3x USB 3.2 Gen 1, 1x USB-C 3.2 Gen 1, 1x HDMI-in 2.0, 2x HDMI-out 2.0 with CEC, 5x RJ-45 Ethernet (one uplink port for internet connection, four downlink ports for IP-based peripherals), 1x power connector, 1x headphone / microphone combo jack (3.5mm)</p> <p>* Depending on many factors, actual data transfer speed may be lower than theoretical speed</p> <p><b>AUDIO BAR:</b></p> <p>Ports 1x USB-C with USB 2.0 UAC (only for audio out)</p> <p>1x stereo analog RCA output (for assistive listening devices)</p>

	1x RJ-45 Ethernet (PoE, connect to Compute System) 2x RJ-45 Daisy Chain Ports (PoE like, connect to Add-on Audio Bar and Mic Pod)
<b>SOLUZIONI</b>	
UCC	Si