



Rog strix qd-oled gaming 27	
Codice	CK341285
EAN	4711387675243
Marca	ASUS
Part number	XG27ACDNG
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	10.5
Volume (cm³)	70524.3

26.5" QD-OLED 2560 x 1440, 0.03ms, 1073.7M, HDR10, 360Hz, 75W, DisplayPort, HDMI, USB-CROG Strix OLED XG27ACDNG gaming monitor - 27-inch (26.5-inch viewable) 1440p QD-OLED panel, 360 Hz, 0.03 ms, custom heatsink, OLED Anti-flicker, ASUS OLED Care+, uniform brightness, G-SYNC® compatible, 99% DCI-P3, and DisplayWidget Center 360Hz QD-OLED GAMING MONITOR ROG STRIX OLED XG27ACDNG The 27-inch ROG Strix OLED XG27ACDNG gaming monitor boasts an exclusive 1440p QD-OLED panel with a 360 Hz refresh rate, OLED Anti-flicker technology and 0.03 ms gray-to-gray (GTG) response time for immersive, fast-paced gaming. Custom heatsink provides exceptional cooling performance, while ASUS OLED Care+ functions reduce the risk of burn-in to ensure longevity of the OLED panel. DOMINATE AT 360 HZ ROG OLED technology gives you the upper hand over the competition thanks to crisp 1440p visuals and supersmooth gameplay at an astounding 360 Hz. OLED ANTI-FLICKER ROG-exclusive OLED Anti-Flicker technology offers three refresh rate ranges - High, Mid, Off - to reduce flicker during frame rate fluctuations and maintain an immersive gaming experience. NEXT-GEN QD-OLED TECHNOLOGY Advantages of OLED technology The extremely high contrast ratio offered by OLED technology ensures the deepest black hues and vivid colors. Plus, an astounding 0.03 ms gray-to-gray (GTG) response time ensures supersmooth, low-latency gameplay. These features not only make the XG27ACDNG perfect for

gaming, but also for professional video- and photo-editing. BUILT TO LAST ADVANCED CUSTOM HEATSINK The custom passive heatsink found in the XG27ACDNG prioritizes heat dissipation. In addition, the monitor s back cover features top vents that further improve cooling to significantly reduce the risk of burn-in. SCREEN PROTECTION ASUS OLED Care+ New ASUS OLED Care+ software provides a full set of customizable monitor settings to protect the OLED panel and ensure longevity of the screen. All the settings can be easily managed through the DisplayWidget Center. ASPECT RATIO For gamers who typically use smaller monitors, the XG27ACDNG is able to display a 24.5-inch image, a 4:3 aspect ratio image, or a full-screen 4:3 aspect with deep black OLED borders around the image. For FPS players, playing on a fullscreen 4:3 aspect ratio makes in-game targets or character models look slightly larger, making them easier to hit. Uniform brightness When activated, the ROG-exclusive Uniform Brightness setting within the OSD menu decreases peak brightness to keep levels consistent for better viewing - even when changing the size of bright white windows. It also makes marathon gaming sessions much more comfortable on the eyes. DisplayWidget Center Take your monitor to the next level with DisplayWidget Center, a powerful monitor management software designed to help you optimize, personalize, and fully utilize your display via your mouse so there s no need to access the OSD menu. Futuristic, cyberpunk-inspired aesthetic The clean and elegant aesthetic of the XG27ACDNG underlines its premium status. There s even a built-in tripod socket on top of the monitor to accommodate a camera for streaming setups. Compact stand design The base has a small footprint to free up space for the keyboard and mouse. It also includes a mobile device groove to prop up phones. Superslim frameless design The frameless panel facilitates immersive viewing. SMOOTH AND RESPONSIVE The XG27ACDNG features NVIDIA® G-SYNC compatible and AMD FreeSync Premium Pro technology, ensuring super-smooth, tear-free visuals with low latency. \_In-game enhancements DYNAMIC SHADOW BOOST ASUS Dynamic Shadow Boost uses ROG Gaming AI technology to automatically enhance dark areas of the screen without affecting the rest of the screen, making it easier to spot enemies hiding in dim areas of the map. GAMEPLUS The ASUS-exclusive, integrated GamePlus hotkey offers in-game enhancements. Co-developed with input from progamers, GamePlus functionality enables you to practice and improve gaming skills with the ROG Gaming AI technology-enhanced Dynamic Crosshair. GAMEVISUAL ASUS GameVisual technology has seven pre-set display modes to optimize visuals for different types of content. This unique feature can be easily accessed through a hotkey or the OSD settings menu. FLICKER-FREE TECHNOLOGY TÜV Rheinlandcertified ASUS Flicker Free technology eliminates flicker, ensuring comfortable viewing experiences. This technology helps minimize eyestrain and other ailments typically associated with extended hours of viewing. LOW BLUE LIGHT TECHNOLOGY The new hardware-based ASUS Low Blue Light technology reduces potentially harmful high-energy blue-light emissions while offering color performance that s better than monitors with software-based filtering solutions. EXTENSIVE CONNECTIVITY A multitude of connectivity options - including one DisplayPort 1.4, two HDMI® 2.1 ports, USB-C with 90 W Power Delivery and a USB hub provide support for a wide array of multimedia devices. Ergonomic stand The specially designed stand offers tilt, swivel, pivot, and height adjustments for the ideal viewing position. The display is also VESA wall-mount-compatible. Sustaining an Incredible Future Eco-friendly Packaging ASUS is committed to a sustainable future and strives to positive contributions to society and the environment. The latest ROG monitors are shipped in packaging made from 100% recycled cardboard to reduce waste.

SPECIFICHE	
Tipo	monitor
Marca	ASUS
Dimensione Schermo	26,5

GENERALE		
Colore principale	Nero	
Inclinazione range (da)	20	
Inclinazione range (a)	-5	
Alimentatore	N.D.	
Regolazione altezza max	120	
Webcam Integrata	No	
Funzione Pivot	Si	
Regolazione altezza	Si	
SCHERMO		
Lunghezza diagonale (polliciaggio)	26,5 "	
Tecnologia pannello	OLED	
Risoluzione massima orizzontale	2560 px	
Frequenza massima	360 Hz	
Rapporto d'aspetto	16:9	
Tempo di risposta	0,03 ms	
Luminosità	1000 cd/m <sup>2</sup>	
Dot pitch	0,23 mm	
Angolo di visione orizzontale	178 °	
Angolo di visione verticale	178 °	
Contrasto standard	1500000 :1	
Risoluzione massima verticale	1440 px	
Monitor Curvo	No	
Touch Screen	No	
HDR	Si	
Risoluzione video	2K o Quad HD (QHD)	
AUDIO		
Multimediale	No	
CONNESSIONI		
Nr. porte HDMI	2	
Nr. porte DisplayPort	1	
Nr. porte USB	3	
CONSUMI		
Energy consumption (HDR) per 1000 33		

hours		
Energy consumption (SDR) per 1000	25	
hours		
REQUISITI AMBIENTALI		
Classe efficienza consumi	G	
Classe efficienza consumi	F	
DIMENSIONI		
Altezza	51,48	
Larghezza	51,48	
Profondità	21,88	
Peso	7,44	
DIMENSIONI CON IMBALLO		
Lato A	86	
Lato B	16,3	
Lato C	50	
VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI)		
Supporto montaggio VESA	No	
Formato VESA FDMI (Flat Display Mounting Interface)	MIS-D (100x100mm)	