


86tr3dk-by	
Codice	CK342381
EAN	8806096029930
Marca	LG ELECTRONICS
Part number	86TR3DK-B.YUEQ
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	72.5
Volume (cm <sup>3</sup> )	595980
<p>LG 86TR3DK lavagna interattiva 2,18 m (86") 3840 x 2160 Pixel Touch screen Nero</p> <p><b>Various Teaching Templates</b> TR3DK series offers a variety of educational templates and teaching tools such as a ruler, table, and sticky notes, allowing for active engagement by students and enabling intuitive classes. Editing images and videos becomes easy with TR3DK series, and created resources can be easily shared with others through QR codes. <b>Multi-touch</b> TR3DK Digital Board can simultaneously detect up to 40 points for multi-touch functionality. This creates a lifelike board touch experience, helping students easily become accustomed and truly engage in classes. This leads to the maximum concentration and organic engagement of students. <b>Easy to Save / Import / Export</b> TR3DK series include simple import and export functionality. Resources can be saved and imported directly to and from Google Drive or OneDrive, and files can be imported from a USB drive (Users can browse resources saved on USB storage). <b>Wireless ScreenShare</b> LG CreateBoard Share enables users to show up to 9 shared screens or a file on a screen in real-time when the LG CreateBoard Share app is installed on the device. Also, files from the host can be easily sent to any devices connected to the LG CreateBoard Share app, and several quick controls by the host are available. <b>LG ConnectedCare DMS</b> LG ConnectedCare DMS is a cloud solution for remotely monitoring, controlling, and managing the status of TR3DK Digital Board installed in educational environments. This feature enables IT managers to operate</p>	

and manage important resources on operating devices without physically visiting sites. **Bluetooth Connectivity** TR3DK Digital Board supports wireless Bluetooth connections to various devices such as a speaker, mouse, keyboard, etc. This is optimal for building a hybrid environment so that online and offline classes can proceed smoothly. **C-type Connection** USB-C connectivity simplifies connections which enables charging and sending data simultaneously over just one single cable. **Front Connectivity Design** TR3DK Digital Board features front display ports and speakers which are ideal for both teachers and students, enabling content to be delivered easier with more immersive sound. **Built-in OPS Slot** TR3DK Digital Board supports OPS slots, allowing you to easily and conveniently mount OPS desktop at the back of the TR3DK Digital Board without the hassle of connecting to an external desktop, offering you more expanded functions. **Smart Viewing** The Smart Viewing feature of TR3DK Digital Board enables efficient teaching. Two or more materials can be displayed on the same screen simultaneously without having to repeat Alt-tab, making teaching more convenient and efficient. Two materials can be displayed side by side (multi window mode), or one material can be overlaid on the other one (picture-in-picture mode). **Power Saving** When a device doesn't receive an external input signal for a specific amount of time set by the user, the device goes into standby mode. Devices can also be automatically turned on or off at specific time or day set by the user, which contributes to save energy.

## SPECIFICHE

Tipo	monitor
Marca	LG ELECTRONICS

## GENERALE

Colore principale	Nero
Contenuto della confezione	NaN
Tecnologia Touch screen	Multitouch

## FEATURES

Altre caratteristiche	Wi-Fi standard: Wi-Fi 6 (802.11ax)
Altre certificazioni	Energy Star
Inclinazione range (da)	0 °
Inclinazione range (a)	0 °

## DISPLAY

Lunghezza diagonale (pollici)	86 "
Tecnologia pannello	IPS
Risoluzione massima orizzontale	3840
Frequenza ottimale	60 Hz
Formato	16:9
Tempo di risposta	8 ms
Luminosità	390 cd/m²

Dot pitch	0 mm
Angolo di visione orizzontale	178 °
Angolo di visione verticale	178 °
Contrasto standard	1200 :1
Risoluzione massima verticale	2160
Contrasto dinamico	50000 :1
Utilizzo	Monitor Interattivo
Risoluzione video	4K (UHD)
<b>AUDIO</b>	
Multimediale	Si
Nr altoparlanti	2 nr.
Potenza	15 W
<b>CONNESSIONI</b>	
Nr. porte vga	1
Nr porte usb	2
HDMI	3
Porte dvi-d	0
DisplayPort	No
<b>CONSUMI</b>	
Durata esercizio media	0 h
Potenza assorbita in esercizio	385 W
<b>DIMENSIONE E PESO</b>	
Altezza	10 cm
Larghezza	195,7 cm
Profondità	116 cm
Peso	58600 gr
<b>DIMENSIONI CON IMBALLO</b>	
Peso con imballo	75,9 kg
Lato A	211 cm
Lato B	128,3 cm
Lato C	22,5 cm
<b>VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI)</b>	
Supporto montaggio vesa	Si
Formato VESA FDMI (Flat Display	MIS-F (800x600mm)

Mounting Interface)	
<b>SOLUZIONI</b>	
Scuola Digitale	Più richiesti EDU