

Monitor 25 ips 300hz gaming reg


Codice	CK410527
EAN	4038986182577
Marca	AOC
Part number	25G4SXU
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	7.53
Volume (cm ³)	40278

Push the boundaries with the 25G4SXU 24.5" Full HD Fast IPS Monitor, 1920x1080 resolution, HDR10 support, and an unmatched 310Hz refresh rate for peak gaming performance

Push the boundaries of competitive gaming with the 25G4SXU 24.5" Full HD monitor, featuring a remarkable 310Hz refresh rate that delivers ultra smooth gameplay, giving you the decisive edge in fast-paced action. Its Fast IPS panel and 1ms GtG response time provide sharp, responsive visuals for split-second reactions. Designed for esports enthusiasts, it boasts AdaptiveSync, low input lag, and an incredible 0.3ms MPRT for pinpoint accuracy

SPECIFICHE	
Marca	AOC
Dimensione Schermo	24,5"
Tipo	monitor

GENERALE	
Colore principale	Grigio
Inclinazione range (da)	-3,5 °
Inclinazione range (a)	21,5 °
Alimentatore	Interno
Funzione Pivot	Si
Regolazione altezza	Si

SCHERMO	
Lunghezza diagonale (pollici)	24,5 "
Tecnologia pannello	Fast IPS
Risoluzione massima orizzontale	1920 px
Frequenza massima	310 Hz
Rapporto d'aspetto	16:9
Tempo di risposta	1 ms
Luminosità	400 cd/m ²
Dot pitch	0,2832 mm
Angolo di visione orizzontale	178 °
Angolo di visione verticale	178 °
Contrasto standard	1000 :1
Risoluzione massima verticale	1080 px
Monitor Curvo	No
Touch Screen	No
Antiriflesso	Si
HDR	Si
Risoluzione video	FHD

AUDIO	
Multimediale	No

CONNESSIONI	
-------------	--

Nr. porte HDMI	2
Nr. porte DisplayPort	1
Nr. porte USB	0
CONSUMI	
Potenza assorbita	0,5 W
Energy consumption (HDR) per 1000 hours	38
Energy consumption (SDR) per 1000 hours	18
REQUISITI AMBIENTALI	
Classe efficienza consumi	G
Classe efficienza consumi	E
DIMENSIONI	
Altezza	49,85 cm
Larghezza	49,85 cm
Profondità	20,76 cm
Peso	4,71 kg
DIMENSIONI CON IMBALLO	
Lato A	69 cm
Lato B	42 cm
Lato C	13,9 cm
VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI)	
Supporto montaggio VESA	Si
Formato VESA FDMI (Flat Display Mounting Interface)	MIS-D (100x100mm)