

<p><b>Cabinet midi-tower nero</b> <b>THERMALTAKE VIEW 270 PLUS TG</b> <b>ARGB BLACK CA-1Y7-00M1WN-0</b></p>	
Codice	CK414060
EAN	4711475644182
Marca	THERMALTAKE
Part number	STD0001611485
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	7.89
Volume (cm <sup>3</sup> )	79924
<p>Thermaltake View 270 Plus TG ARGB Midi Tower Nero Designed to provide gorgeous panoramic viewing angles, the View 270 TG Plus ARGB comes in a mid-tower package, supporting a full ATX motherboard and enough space to accommodate up to 9 fans for cooling. (Three 120mm ARGB Lite Fans pre-installed.) <b>Tempered Glass Front and Side</b> The View 270 TG ARGB Plus comes equipped with two Tempered Glass panels located on the front and side of the case to provide the best viewing angles for your system inside. <b>Up to a 360mm Radiator</b> Supporting up to 360mm radiators on the top of the chassis, the View 270 TG ARGB Plus can meet the cooling needs for some of the more demanding systems all while maintaining a show appearance to show off your components. Check out the link below for some options from TT. <b>Three 120mm ARGB Lite Fans Pre-installed</b> The View 270 TG comes with three 120mm ARGB Lite Fans, with two being mounted on the side to provide intake and another mounted in the rear of the chassis to provide exhaust. Daisy chain connections for 5V ARGB and PWM fan control make wiring simple and lighting can be controlled through motherboard software from Asus, Gigabyte, MSI, and ASRock. <b>Space for Your Storage</b> The View 270 TG Plus can support up to two 2.5 SSDs or two 3.5 HDDs, in one dedicated location for each and one shared location for each as well. <b>Handy I/O Ports</b> Two USB 3.0, one USB 3.2 Gen 2 Type C and HD Audio ports are placed on the top panel to grant direct access when needed. <b>Sync with Motherboard RGB Software</b> Designed to</p>	

synchronize with ASUS Aura Sync, GIGABYTE RGB Fusion, MSI Mystic Light Sync, and ASRock Polychrome. It supports motherboards with a 5V addressable RGB header, allowing you to control the lights directly from the software mentioned above without installing any extra lighting software or controllers.

SPECIFICHE	
Colore	nero
Formato	midi-tower
Marca	THERMALTAKE
Slot HDD totali	4
Slot unità ottiche	0

RAFFREDDAMENTO	
A Liquido	capacità raffreddamento liquidi
Laterale	Ventole laterali installate: 2x 120 mm, Numero massimo ventole laterali: 2, Diametro delle ventole laterali supportate: 120 mm
Posteriore	Rear fans installed: 1x 120 mm, Numero massimo ventole posteriori: 1, Diametro delle ventole posteriori supportate: 120 mm, Dimensioni del radiatore posteriore supportate: 120 mm

GENERALE	
Colore primario	Nero
Form Factor	ATX
Motherboard supportate	ATX, EATX, Micro ATX, Mini-ITX
Peso	6350 Kg
Slot HDD totali	4
Slot Unità Ottiche	0
Formato	Midi-Tower
Alimentatore	No
Slot HDD 3.5	2
Slot HDD 2.5	2
Slot HDD 5.25	0
Extra large	No
Pannello laterale trasparente	Si
Tipo materiale pannello	Vetro temperato

DIMENSIONI	
Altezza	459 mm

Larghezza	230 mm
Profondità	454 mm
<b>CONNETTORI</b>	
Connettori Audio frontali	1
Connettori USB 2.0 frontali	0
Connettori USB 3.0 frontali	2
connettori USB tipo C frontali	1
<b>ALIMENTATORE</b>	
Modello	Non Presente
PFC (Power Factor Correction)	ATX, PS2
<b>MOTHERBOARD SUPPORTATE</b>	
ATX	Si
Micro-ATX	Si
SSI CEB	No
EATX	Si
Mini-ITX	Si
SSI EEB	No