


<b>Jabra evolve 30 ms mono usb-a/c</b>	
Codice	CK426329
EAN	5706991034356
Marca	JABRA
Part number	11492382
Storage unit	N
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	0.174
Volume (cm <sup>3</sup> )	1122
<p><b>Jabra Evolve 30 II Auricolare Cablato A Padiglione Ufficio USB Type-C / USB Type-A Nero</b>  <b>Engineered for flexible connectivity.</b> Professional headset with great sound for calls and music. UC-certified means UC-satisfied. When collaboration is easy, everyone is happy, with both their UC platform and their headset. Evolve 30II is UC-certified and available in a Microsoft Teams-certified variant, for truly seamless communication. Stay connected, using either USB or jack. Connect to your PC via USB-A or USB-C. Use the 3.5mm jack to connect to your mobile device - such as a smartphone or tablet to work or listen to music wherever you may be. Easy call management. In-line call controller with large buttons and LED indicators, making handling of calls and music easy. Pick up or end calls, control volume, or simply mute the line. Plug-and-play setup. Works out of the box with all leading Unified Communications platforms. Installation is as easy as simply plugging it in.</p>	

**SPECIFICHE**

Colore	nero
Tipo	cuffie con filo
Alimentazione	assente
Marca	JABRA
Tipologia Connettore	usb-c/a

### INCLUSO NELLA CONFEZIONE

Astuccio	No
Contenuto confezione	Guida rapida
Docking station	No

### GENERALE

Colore primario	Nero
Microfono incorporato	Si
Peso	62,9 gr
Tipologia	Cuffie con filo
Fattore di forma	Sovraurali (On-Ear Headphones)
Tipo di padiglione auricolare	monoaurali
Diametro speaker	28 mm
Archetto	sopra la testa
Ripiegabile	No
Lunghezza Cavo	2,15 cm

### CARATTERISTICHE TECNICHE CUFFIE/AURICOLARI

Tipo microfono	Asta
Altre specifiche	Cancellazione del rumore del microfono
Progettate per	PC
Suono	Mono
Certificazione	CE
Ideale per	ufficio
Controllo remoto	Controllo volume/musica
Busy light	No
Sensore di risposta automatica	Si
Noise canceling	Si

### WIRELESS

Connettori	USB-C/A
------------	---------

Portata	1 m
Altre specifiche	Cablato
Alimentazione	Assente
<b>DIMENSIONI CON IMBALLO</b>	
Lato A	255 cm
Lato B	190 cm
Lato C	35 cm