

<p>A50-031-teams collaboration bar</p>	
<p>Codice</p>	<p>CK426335</p>
<p>EAN</p>	<p>6938818323162</p>
<p>Marca</p>	<p>YEALINK</p>
<p>Part number</p>	<p>A50-031</p>
<p>Storage unit</p>	<p></p>
<p>Unità di vendita</p>	<p>Cadauno</p>
<p>Confezione</p>	<p>1</p>
<p>Imballaggio</p>	<p>1</p>
<p>Peso (kg)</p>	<p>10.87</p>
<p>Volume (cm<sup>3</sup>)</p>	<p>60976</p>
<p>Yealink Meetingbar A50 + CTP25 sistema di conferenza 50 MP Collegamento ethernet LAN Sistema di videoconferenza di gruppo <b>Designed for Simplicity</b> MeetingBarA50 is an all-in-one video bar that leverages industry-leading AI to enhance daily hybrid meetings. It offers easy deployment and use, making it ideal for medium to large meeting rooms. <b>Three Cameras. See It All.</b> MeetingBar A50's triple 50MP camera system combines a wide-angle lens and two telephoto lenses to capture every voice, face, and detail even in larger spaces. And when the meeting ends, a physical shutter closes automatically to protect your privacy. <b>Engineered for Power</b> The MeetingBar A50 elevates video conferencing with Qualcomm's 8550 processor, delivering 50% more CPU performance and over 10 times the AI processing power. This innovation ensures seamless audio and video experiences in medium to large meeting rooms, enabling intelligent collaboration and crystal-clear communication. <b>Voice Enhanced with AI-Powered Audio</b> The A50 delivers full-duplex audio powered by AI-enhanced noise cancellation and reverberation suppression, so voices come through naturally without distractions. With a pickup range of up to 10 meters and support for extension mics, including ceiling mics, it s built to adapt to any room and every conversation. <b>SIMPLIFY WITH ONE PLUG</b> MeetingBarA50's One-Cable Solution simplifies deployment and sharing in 2 ways. A single Cat5e cable from the bar to the touch console provides power and network connectivity to the touch console, eliminating extra cables.</p>	

Signing in on the touch console synchronizes the entire system, removing the need to sign in on the touch console. Additionally, a single USB-C cable from the touch console to the PC enables 4K sharing, BYOD, and PD charging.

SPECIFICHE	
Tipo	videoconferenza
Marca	YEALINK

GENERALE	
Tipo di sistema	videoconferenza
Temperatura minima di esercizio	0 °C
Temperatura massima di esercizio	40 °C
Umidità minima di esercizio	10 %
Umidità massima di esercizio	95 %
Altre Caratteristiche	Collegamento ethernet LAN

VIDEO	
Altre Caratteristiche Video	WXGA

DISPLAY	
Dimensione	10,1 "
Risoluzione Orizzontale Max	1280 px
Risoluzione Verticale Max	800 px
Angolo di visione orizzontale	178 °
Altre Caratteristiche Display	350 cd/m <sup>2</sup>

AUDIO	
Altoparlanti Integrati	Si
Altre Caratteristiche Audio	20 W

CAMERA	
Zoom Digitale	8 x
Altre Caratteristiche Camera	50 MP

INTERFACCE	
Altre Interfacce	Quantità porte Ethernet LAN (RJ-45): 1

DIMENSIONE E PESO	
Altezza	10,2 cm
Larghezza	91 cm
Profondità	8,8 cm

Peso	8,5 kg
------	--------