


22u401a-b	
Codice	CK428566
EAN	8806096531280
Marca	LG ELECTRONICS
Part number	22U401A-B.AEUQ
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	4.773
Volume (cm ³)	29162.004
<p>LG 22U401A-B Monitor PC 54,6 cm (21.5") 1920 x 1080 Pixel Full HD LED Nero 21.5" Full HD Compact yet capable Our FHD(1920x1080) screen delivers clear visuals with an sRGB 99% (Typ.) color gamut and 250 nits brightness with 3000:1 contrast ratio. *Images have been simulated to enhance feature understanding, and may differ from actual use experience. *The keyboard and mouse are not included in the package. 100Hz Refresh Rate Fluid visuals. Seamless flow. A fast 100Hz provides a smooth frame loading in various programs. Also, you can enjoy realistic gameplay with less screen stuttering and motion blur. *Images have been simulated to enhance feature understanding, and may differ from actual use experience. *The refresh rate feature may vary depending on the user's PC conditions. 1ms MBR Fast-paced speed to victory 1ms Motion Blur Reduction* makes smooth gameplay, reducing blur and ghosting. Dynamic and fast-paced objects amidst all the action can give gamers a competitive edge. *Images have been simulated to enhance feature understanding, and may differ from actual use experience. *1ms Motion Blur Reduction causes lowered luminance, and the following features cannot be used while it is activated : Adaptive sync / DAS (Dynamic Action Sync) *Flicker may occur during 1ms MBR operation. sRGB 99% (Typ.) and HDR 10 Feel actual combat with vivid color Our monitor supports HDR 10 and offers 99% sRGB (Typ.) coverage, providing a wide color spectrum that enables high-fidelity color representation for an immersive gaming experience. The vivid color</p>	

expression also makes it ideal for creative work, productivity tasks, and casual entertainment alike. **LG Switch app** **Switch swiftly** LG Switch app helps to optimize the monitor to your work and life. You can readily divide the whole display up to 6, change the theme design, or even launch a video call platform with a mapped hotkey. *Images have been simulated to enhance feature understanding, and may differ from actual use experience. *To download the latest version of the LG Switch app, visit LG.com. **Dynamic Action Sync** Reducing input lag with Dynamic Action Sync, gamers can catch critical moments in real time and respond quickly. **Black Stabilizer** Black Stabilizer helps gamers detect snipers lurking in the darkest corners and swiftly navigate flash explosions. **Reader Mode** Reader Mode adjusts color temperature and luminance, supporting a suitable viewing experience for reading on a monitor. **Flicker Safe** Flicker Safe reduces invisible flickering on the screen, providing a comfortable view. *Images have been simulated to enhance feature understanding, and may differ from actual use experience. *Above feature may vary depending on real use conditions that the user is using. **Ergonomic design** The L-shaped stand with a square base enhances space efficiency and keeps the workspace organized. Its stable design improves visual focus and supports a -5° to 20° tilt, helping you adjust the screen for better comfort and viewing alignment.

SPECIFICHE	
Tipo	monitor
Marca	LG ELECTRONICS
Dimensione Schermo	21,5"

GENERALE	
Colore principale	Nero
Contenuto della confezione	Cavi inclusi: AC
Alimentatore	Esterno
Webcam Integrata	No
Funzione Pivot	No
Regolazione altezza	No
SCHERMO	
Lunghezza diagonale (pollici)	21,5 "
Tecnologia pannello	VA (Vertical Alignment)
Risoluzione massima orizzontale	1920 px
Frequenza massima	100 Hz
Rapporto d'aspetto	16:9
Tempo di risposta	5 ms
Luminosità	250 cd/m ²
Dot pitch	0,2493 mm
Angolo di visione orizzontale	178 °
Angolo di visione verticale	178 °

Contrasto standard	3000 :1
Risoluzione massima verticale	1080 px
Monitor Curvo	Si
Touch Screen	No
HDR	Si
Risoluzione video	FHD
AUDIO	
Multimediale	No
CONNESSIONI	
Nr. porte VGA	1
Nr. porte HDMI	1
DIMENSIONI	
Altezza	378,4 cm
Larghezza	378,4 cm
Profondità	200,8 cm
Peso	2300 kg
DIMENSIONI CON IMBALLO	
Lato A	556 cm
Lato B	138 cm
Lato C	350 cm
VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI)	
Supporto montaggio VESA	Si
Formato VESA FDMI (Flat Display Mounting Interface)	MIS-D (100x100mm)