


65tr3bq-b



Codice	CK430917
EAN	8806096536643
Marca	LG ELECTRONICS
Part number	65TR3BQ-B.AUEQ
Storage unit	N
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	38
Volume (cm ³)	308524.5

LG 65TR3BQ-B lavagna interattiva 165,1 cm (65") 3840 x 2160 Pixel Touch screen
NeroSeamless Writing Experience LG CreateBoard delivers a lifelike touch experience with support for 4K resolution, enabling users to write seamlessly, ensuring every detail is crisp and clear. **Multi-Touch** LG CreateBoard boasts a multi-touch functionality that can concurrently detect up to 40 touch points. This feature facilitates simultaneous touch and gesture inputs from multiple users, fostering easy collaboration and idea sharing among team members. This enables efficient interaction in group activities or meetings. **Connect Your Own Device for OS Flexibility** LG CreateBoard integrates smoothly with devices across various operating systems, including Windows, Android, and ChromeOS, allowing users to work within their preferred environments. This creates a flexible and highly adaptable workspace tailored to individual needs. **C-Type Connection** USB-C connectivity simplifies connections which enables charging and sending data simultaneously over just one single cable. **OTA (Over-The-Air) Functionality** OTA (Over-The-Air) functionality built into the LG CreateBoard enables software updates to be performed wirelessly and automatically, allowing users to maintain the latest features and security patches. **Front Connectivity Design** LG CreateBoard is designed with front display ports, making it easy for users to connect or disconnect cables. **Built-In OPS Slot** LG CreateBoard supports OPS slots, allowing users to conveniently mount OPS Module at the back of the screen without the hassle of

connecting to an external desktop. This enables various PC functions and Windows software.

SPECIFICHE

Tipo	monitor
Marca	LG ELECTRONICS

GENERALE

Colore principale	Nero
Contenuto della confezione	NaN
Tecnologia Touch screen	Infra Red Technology (IR)

FEATURES

Altre caratteristiche	NaN
Altre certificazioni	CB / NRTL, FCC Class "A" / CE / KC, ErP
Inclinazione range (da)	-178 °
Inclinazione range (a)	178 °

DISPLAY

Lunghezza diagonale (pollici)	65 "
Tecnologia pannello	LED
Risoluzione massima orizzontale	3840
Frequenza ottimale	60 Hz
Formato	16:9
Tempo di risposta	6,5 ms
Luminosità	350 cd/m ²
Dot pitch	0 mm
Angolo di visione orizzontale	178 °
Angolo di visione verticale	178 °
Contrasto standard	5000 :1
Risoluzione massima verticale	2160
Contrasto dinamico	5000 :1
Utilizzo	Monitor Interattivo
Risoluzione video	4K (UHD)

AUDIO

Multimediale	Si
--------------	----

Nr altoparlanti	2 nr.
Potenza	16 W
CONNESSIONI	
Nr. porte vga	0
Nr porte usb	6
HDMI	3
Porte dvi-d	0
DisplayPort	No
CONSUMI	
Durata esercizio media	30000 h
Potenza assorbita in esercizio	127 W
DIMENSIONE E PESO	
Altezza	89,9 cm
Larghezza	149,1 cm
Profondità	9,8 cm
Peso	32100 gr
DIMENSIONI CON IMBALLO	
Lato A	162,8 cm
Lato B	18,5 cm
Lato C	101,4 cm
VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI)	
Supporto montaggio vesa	Si
Formato VESA FDMI (Flat Display Mounting Interface)	MIS-F (600x400mm)
SOLUZIONI	
Scuola Digitale	Più richiesti EDU