

Tuf s5 34 wqhd curvo va



| | |
|---------------------------|---------------|
| Codice | CK438354 |
| EAN | 4711636252065 |
| Marca | ASUS |
| Part number | VG34WQ5A |
| Storage unit | |
| Unità di vendita | Cadauno |
| Confezione | 1 |
| Imballaggio | 1 |
| Peso (kg) | 6.291 |
| Volume (cm ³) | 39696.368 |

ASUS TUF Gaming VG34WQ5A Monitor PC 86,4 cm (34") 3440 x 1440 Pixel Wide Quad HD LCD Nero**TUF Gaming VG34WQ5A**TUF Gaming VG34WQ5A is a 34-inch WQHD (3440 x 1440) 200Hz, 1500R curved gaming monitor that delivers five advanced upgrades for top-tier gaming. Immerse yourself with dual mode, allowing the monitor to easily switch via hotkey to a 720p 400Hz mode for esports ready performance and lightning-fast 0.5ms response time. Along with AMD FreeSync Premium for ultra-smooth gameplay. With enhanced color performance, updated Gaming AI, and effortless control via DisplayWidget Center, this monitor keeps you ahead of the competition.

| SPECIFICHE | |
|--------------------|---------|
| Tipo | monitor |
| Marca | ASUS |
| Dimensione Schermo | 34" |

| GENERALE | |
|-------------------------|------|
| Colore principale | Nero |
| Inclinazione range (da) | -5 ° |
| Inclinazione range (a) | 20 ° |
| Alimentatore | N.D. |
| Webcam Integrata | No |
| Funzione Pivot | No |
| Regolazione altezza | No |

| SCHERMO | |
|---------------------------------|----------------------------|
| Lunghezza diagonale (pollici) | 34 " |
| Tecnologia pannello | VA (Vertical Alignment) |
| Risoluzione massima orizzontale | 3440 px |
| Frequenza massima | 200 Hz |
| Rapporto d'aspetto | 21:9 |
| Tempo di risposta | 1 ms |
| Luminosità | 400 cd/m ² |
| Dot pitch | 0,232 mm |
| Angolo di visione orizzontale | 178 ° |
| Angolo di visione verticale | 178 ° |
| Contrasto standard | 4000 :1 |
| Risoluzione massima verticale | 1440 px |
| Monitor Curvo | Si |
| Touch Screen | No |
| Antiriflesso | Si |
| HDR | Si |
| Risoluzione video | Ultra Wide Quad HD (UWQHD) |

| AUDIO | |
|--------------|----|
| Multimediale | Si |

| | |
|---|-------------------|
| Nr. altoparlanti | 2 |
| Potenza | 4 W |
| CONNESSIONI | |
| Nr. porte HDMI | 2 |
| Nr. porte DisplayPort | 2 |
| Nr. porte USB | 3 |
| Nr. porte Thunderbolt | 2 |
| CONSUMI | |
| Potenza assorbita | 0,5 W |
| Energy consumption (HDR) per 1000 hours | 50 |
| Energy consumption (SDR) per 1000 hours | 25 |
| REQUISITI AMBIENTALI | |
| Classe efficienza consumi | G |
| Classe efficienza consumi | E |
| DIMENSIONI | |
| Altezza | 43,8 cm |
| Larghezza | 43,8 cm |
| Profondità | 21,4 cm |
| Peso | 7,4 kg |
| DIMENSIONI CON IMBALLO | |
| Lato A | 94 cm |
| Lato B | 18,6 cm |
| Lato C | 48 cm |
| VESA FLAT DISPLAY MOUNTING INTERFACE (FDMI) | |
| Supporto montaggio VESA | Si |
| Formato VESA FDMI (Flat Display Mounting Interface) | MIS-D (100x100mm) |