


|  |  |
|--|--|
| <p><b>Router ethernet 4 ASUS GS-BE7200</b></p>   |  |
| <p>Codice</p>  | <p>CK442975</p>  |
| <p>EAN</p>   | <p>4711636085052</p>   |
| <p>Marca</p>   | <p>ASUS</p>  |
| <p>Part number</p>   | <p>GS-BE7200</p>   |
| <p>Storage unit</p>  |  |
| <p>Unità di vendita</p>  | <p>Cadauno</p>   |
| <p>Confezione</p>  | <p>1</p>   |
| <p>Imballaggio</p>   | <p>1</p>   |
| <p>Peso (kg)</p>   | <p>1.498</p>   |
| <p>Volume (cm<sup>3</sup>)</p>   | <p>6240</p>  |
| <p>ROG Strix GS-BE7200 Dual-band WiFi 7 (802.11be) Gaming Router, supports 4096-QAM, up to 7.2 Gbps, dual gaming ports, enhanced 5GHz long-range antennas, Gaming Network, Smart Home Master, AiProtection, and comprehensive VPN features<br/>Dual-band WiFi 7 throughput of up to 7200Mbps with MLO and 4K-QAM</p> <p>12.5G wired capacity with four 2.5G LAN ports and one 2.5G WAN port</p> <p>Six internal antennas and boosted 5GHz range, delivering up to 15% better throughput at long distances than standard 5GHz 4T4R routers</p> <p>ROG-exclusive Gaming Network with Adaptive QoE prioritizes game traffic in real time, keeping gameplay smooth and lag-free even under heavy network load</p> <p>Easy IoT device and VPN subnetwork setup, parental controls, and instant connections with Smart Home Master</p> |  |

Advanced triple-level network security with AiProtection and pre-installed VPN support

WiFi 7-enhanced AiMesh enables a secure and extendable network for compatible ASUS router

| SPECIFICHE       |          |
|------------------|----------|
| Marca            | ASUS     |
| Connettività     | ethernet |
| Numero porte LAN | 4        |

| CARATTERISTICHE FISICHE                           |                                     |
|---|-------------------------------------|
| Peso  | 927,5 gr                            |
| ALIMENTAZIONE                                     |                                     |
| Power Supply Corrente Max                         | 5 A                                 |
| Power Supply Frequenza                            | 50/60 Hz                            |
| Power Supply Tensione                             | 110/240 V                           |
| Power Supply                                      | AC/DC                               |
| Alimentazione ridondata                           | No                                  |
| Tipologia di alimentazione ridondata              | Nessuna ridondanza di alimentazione |
| CARATTERISTICHE TECNICHE                          |                                     |
| Memoria Dram                                      | 1024 MB                             |
| Memoria Flash                                     | 128 MB                              |
| CONNETTIVITÀ                                      |                                     |
| Porta Console                                     | No                                  |
| Slot di espansione                                | No                                  |
| Nr. slot di espansione                            | 0                                   |
| Tipologia porte LAN                               | RJ-45                               |
| Nr. porte LAN                                     | 4                                   |
| Velocità LAN                                      | 10/100/1000/2500 Mbit/s             |
| Nr. porte per fibra ottica (SFP, SFP+, Gbic, ...) | 0                                   |
| WAN secondaria                                    | No                                  |
| Tipologia porta WAN                               | RJ-45                               |
| Connessione WAN                                   | Ethernet                            |
| PROTOCOLLI  |                                     |

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| Quality of Service (QOS)             | Si                                  |
| Caratteristiche Qos                  | Supporto qualità del servizio (QoS) |
| Supporto IP                          | IPv4/IPv6                           |
| <b>WIRELESS</b>                      |                                     |
| Estensioni Wireless                  | Si                                  |
| Protocolli WiFi supportati           | Wi-Fi 7 (802.11be)                  |
| <b>SICUREZZA</b>                     |                                     |
| Cifatura VPN                         | YES                                 |
| Firewall Integrato                   | Si                                  |
| Funzionalità aggiuntive di sicurezza | Registro evento di sistema          |
| Supporto VPN                         | Si                                  |
| <b>VOIP</b>                          |                                     |
| Supporto Voce                        | No                                  |
| <b>STORAGE</b>                       |                                     |
| Capacità di Storage                  | 256 MB                              |
| <b>DIMENSIONI CON IMBALLO</b>        |                                     |
| Peso con imballo                     | 1600 kg                             |
| Lato A                               | 306 cm                              |
| Lato B                               | 102 cm                              |
| Lato C                               | 236 cm                              |