

Telecamera ip TP-LINK TC90 KIT TC90KIT	
Codice	CK470015
EAN	1210002605328
Marca	TP-LINK
Part number	TC90 KIT
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	1.318
Volume (cm ³)	6776.055
Uninterrupted Power Supply: Enjoy a maintenance-free security experience with the Tapo Solar Panel, which provides a continuous power supply and flexible installation. Wire-Free, Installs Almost Anywhere: Eliminates the need for outlets and enables flexible placement. Add security to your home, wherever, whenever. Pan and Tilt: Enjoy a full 360° horizontal and 130° vertical, allowing you to cover more area. Smart Person Detection: Get alerts when a person is detected, reducing false alerts and unnecessary notifications. 360° AI Tracking: The camera delivers full 360° coverage with smart AI that accurately detects and tracks people and motion. Vivid Colors, Even at Night: Instead of black-and-white images, the camera offers full-color images at night with built-in spotlights, ensuring details in low-light conditions.	

Superior 2K 3MP Visuals: Capture every detail in crystal-clear 2K resolution, with advanced algorithms ensuring perfect exposure day and night.

Flexible Storage Options: Choose from local microSD storage up to 512GB or the secure Tapo Care cloud service for additional peace of mind.

IP65 Weatherproof: Offers excellent waterproof and dustproof performance for outdoor scenarios.

SPECIFICHE	
Tipo	telecamera
Marca	TP-LINK
Tecnologia	ip

DIMENSIONI	
Altezza	98,9 mm
Larghezza	67,6 mm
Peso	260 gr
Profondità	54,8 mm
FEATURES	
Angolo	Field of View: 100.6° (Diagonal), 84.4°(Horizontal), 44.3°(Vertical)
Numero Antenne	1
Wireless Encryption	128-bit AES Encryption with SSL/TLS WPA/WPA2-PSK
Wireless Security	WPA/WPA2-PS
Rilevazione Movimento	Si
CONTENUTO CONFEZIONE	
Cavi	Si
Manuale italiano	Si
Tipo Software	N/A
Supporto	Si
CONFORMITÀ	
Conformità CEE	CE
Conformità ETSI	

	FCC
Conformità LAN	N/A
Conformità Wireless	11Mbps(802.11b) 54Mbps(802.11g) 72.2Mbps(802.11n)
Altre certificazioni conformità	IC, NCC
HARDWARE	
Power Supply Type	Solar
Protocollo Qos	No
Qos Type	
Temperatura di lavoro min	0 °C
Temperatura di lavoro max	40 °C
Alimentazione	9 V
Protocollo IPv4/v6	No
Protocollo Http	Si
Protocollo Https	Si
capacità memoria RAM	0
capacità memoria Flash	0
CONNESSIONI	
Numero USB Port	1
Wireless Lan	Si
Numero interfacce rete	0
Tipologia interfaccia di rete	Nessuna
Numero intefacce management	0
RAGGIO MOVIMENTO	
Movimento orizzontale (sx)	115 °
Movimento orizzontale (dx)	115 °
Movimento verticale (alto)	115 °
Movimento verticale (basso)	115 °
GENERALE	
Colore primario	Bianco
Microfono incorporato	Si
Day&Night	Si

Tipologia apparato	Telecamera
Tecnologia	IP
Movimento	Si
Luogo utilizzo prevalente	Esterno
Resistenza all'acqua	Si
Forma	Standard
Uso Notturno	Si
IMMAGINE	
Sensore	1/2.8 "
Numero pixel effettivi	3 MP
Zoom ottico	1 x
Zoom digitale	1 x
Rapporto focale	4 F
Illuminazione minima	0 lux
Durata otturazione 1/	3,2 sec
Formato video digitale	H.264
Risoluzione orizzontale massima	2304 px
Risoluzione verticale massima	1296 px
Velocità di riproduzione	15 fps
Formato foto digitale	Funzione non supportata