

Be3600 indoor/outdoor ap	
Codice	CK472879
EAN	1210002610995
Marca	TP-LINK
Part number	EAP725-OUTDOOR
Storage unit	
Unità di vendita	Cadauno
Confezione	1
Imballaggio	1
Peso (kg)	1.794
Volume (cm ³)	3920
Switchable Directional and Omnidirectional Antennas: Supports focused point coverage or wide-area outdoor coverage by switching antenna modes on software. Plug & Play Automatic Antenna Detection: Automatically detects when external antennas are installed and adjusts the coverage pattern accordingly. 4-Stream Dual-Band Outdoor Wi-Fi 7 Coverage: Delivers high-speed outdoor connectivity up to 5 Gbps. 1× 2.5G PoE Port: Flexible PoE deployment reduces costs by delivering power and data over a single Ethernet cable.	

Outdoor-Ready Durability: Features an IP66-rated weatherproof enclosure and 6kV lightning protection.

Quick and Easy Setup: Features wall/pole mounting with Omada SDN for one-click setup.

Advanced Features: Centralized management, mesh, and seamless roaming.

SPECIFICHE

Velocità	500 mbps mbit/s
Marca	TP-LINK
Numero porte LAN	1 n
Posizionamento	outdoor

CARATTERISTICHE FISICHE

Altezza massima	69,7 mm
Colore Chassis	Bianco
Formato Chassis	Palo/Wall
Larghezza massima	230 mm
Peso	0 gr
Profondità massima	207,5 mm

CARATTERISTICHE TECNICHE

Posizionamento	Outdoor
Unmanaged / Autonomo	No
Possibilità di essere anche controllato	Si

CONFEZIONE

Software	N/A
Kit e Accessori Vari	Kit impermeabile Kit di montaggio Guida all'installazione

CONFORMITÀ

Dichiarazione di Conformità	Certificazione CE, FCC, RoHS
-----------------------------	------------------------------

ALIMENTAZIONE	
Power Supply Frequenza	na Hz
Power Supply Tensione	na V
Power Supply	POE
Supporto POE 802.3af	No
CONNETTIVITÀ	
Porta Console	No
Numero porte LAN	1 N
Velocità LAN	2500 Mbit/s
Connettori porte LAN	RJ-45
WIRELESS	
Banda di frequenza	2,4/5 GHz
Connettore antenne opzionali	Non presente
Velocità Wireless	500 Mbps Mbit/s
Wireless Security	Si
Conformità Wireless	IEEE 802.11a/g/b/n/ac/ax/be